

2. CHEMICAL AND INDUSTRIAL

Benefits of Rotational Moulding:

Corrosion resistance : Simply put, plastic cannot rust. Even stainless steel products are susceptible to rust in welded spots.



STRAIGHT SIDES AND LOOSE LIDS

DESCRIPTION	CAPACITY IN LITRES	DIMENSIONS IN MM DIAM x HEIGHT
27L Rectangular Bin	27	465 x 110 x 625
31L Rectangular Bin & Lid	31	405 x 260 x 300
32L Rectangular Bin	32	570 x 340 x 180
34L Rectangular Bin	34	450 x 325 x 285
42L Rectangular Bin	42	550 x 450 x 195
56L Rectangular Bin	56	615 x 315 x 335
58L Rectangular Bin	58	580 x 350 x 320
79L Rectangular Bin	79	570 x 450 x 330
79L Rectangular Bin (with lid)	79	570 x 450 x 330
98L Rectangular Bin	98	820 x 320 x 400
100L Rec Tray - Z-shape - 10cm H	100	1420 x 760 x 100
100L Rec Tray - Z-shape - 15cm H	100	1270 x 640 x 155
100L Rec Tray (no lid) - U-shape	100	705 x 560 x 388
113L Rectangular Bin	113	560 x 440 x 460
120L Rectangular Tray	120	840 x 840 x 200
120L Rectangular Bin	120	600 x 350 x 600
168L Rectangular Bin	168	700 x 300 x 800
172L Rectangular Bin	172	480 x 480 x 810
200L Rectangular Bin	200	600 x 600 x 635
230L Rectangular Bin	230	1500 x 720 x 220
375L Rectangular Bin	375	1050 x 610 x 610
450L Rectangular Bin with lid	450	1000 x 702 x 645
450L Rec Bin (no lid) - Z-shape	450	1000 x 702 x 1025
450L Rectangular bin with ribs	450	1375 x 600 x 550
720L Rectangular bin	720	1200 x 750 x 820
750 Rectangular bin	750	1110 x 650 x 1100
1000L Rectangular Bin +3kg	1000	1500 x 1000 x 680
1000L Rectangular Bin - correct	1000	1500 x 1000 x 680
1000L Rectangular Bin (with lid)	1000	1500 x 1000 x 680
1000L Square Bin (with lid) - correct	1000	1000 x 1000 x 1000
1500L Rectangular Bin	1500	2500 x 600 x 1000
2200L Rectangular Bin	2200	2000 x 1000 x 1100
5000L Rectangular Bin	5000	4500 x 1000 x 1100



ENCLOSED TANKS

CAPACITY IN LITRES	DIMENSIONS IN MM DIAM x HEIGHT
22	343 x 280
45	343 x 545
70	385 x 615
115	545 x 535
135	545 x 625
185	545 x 845
230	545 x 1045
250	550 x 1100
315	600 x 1 090
450	750 x 1080
565	915 x 915
1000	1 180 x 1 000
1300	1 165 x 1300
2000	1 270 x 1850
3000	1400 x 2360
3000	1400 x 2360
4500	1700 x 2430



STEP TANKS

CAPACITY IN LITRES	DIMENSIONS IN MM DIAM x HEIGHT
120	510 x 750 (+step 70)
235	570 x 950 (+ step 70)
500	745 x 1210 (+ step 70)



STRAIGHT SIDES AND LOOSE LIDS

CAPACITY IN LITRES	DIMENSIONS IN MM DIAM x HEIGHT
22	343 x 300
45	345 x 570
54	374 x 492
70	387 x 665
100	500 x 575
100	450 x 735
115	545 x 555
135	545 x 650
185	545 x 870
200	545 x 935
230	545 x 1070
250	700 x 700
300	700 x 900
315	600 x 1090
450	740 x 1100
565	915 x 915
570	890 x 970
680	915 x 1100
1000	1180 x 1000
1300	1165 x 1245
2000	1270 x 1850
3000	1400 x 2000
3000	1400 x 2000
3000	1400 x 2000
4500	1700 x 2000
4500	1700 x 2000
4500	1700 x 2000



FUEL TANKS FOR BOATS

CAPACITY IN LITRES	DIMENSIONS IN MM DIAM x HEIGHT
70	930 x 460 x 180
75	910 x 450 x 200
95	1140 x 450 x 200
100	1190 x 460 x 190
105	1210 x 550 x 190
150	1210 x 550 x 260



CHEMICAL TANKS

CAPACITY IN LITRES	DIMENSIONS IN MM DIAM x HEIGHT
300	765 x 815
300	765 x 815
500	865 x 1055
500	865 x 1055
1000	1115 x 1260
1000	1115 x 1260
2200	1335 x 1635
2200	1335 x 1635
2700	1485 x 1780
2700	1485 x 1780
5000	1815 x 2030
5000	1815 x 2023
10 000	2306 x 2665
10 000	2306 x 2665

SG = Specific gravity

TAKE NOTE: Any tank can be made SG 1.4 or SG 1.6 by just adding more plastic.



ELECTROPLATING BINS

DESCRIPTION	CAPACITY IN LITRES	DIMENSIONS IN MM DIAM x HEIGHT
34L Rectangular Bin (with lid)	34	450 x 325 x 285
140L Rectangular Bin (with lid)	140	540 x 440 x 620
230L Rectangular Bin (with lid)	230	1100 x 480 x 485
400L Rectangular Bin (with lid)	400	930 x 500 x 900
448L Rectangular Bin (no lid)	448	800 x 700 x 800
450L Rectangular Bin (no lid)	450	1375 x 600 x 550
500L Rectangular Bin (with lid)	500	1120 x 710 x 725
670L Rectangular Bin (no lid)	670	2000 x 350 x 960
1000L Rectangular Bin with Lid	1000	1500 x 1000 x 680
1500L Rectangular Bin (no lid)	1500	2500 x 600 x 1000




WASTE & ENVIRONMENTAL BINS

DESCRIPTION	CAPACITY IN LITRES	DIMENSIONS IN MM DIAM x HEIGHT
WB240L/ Wheelie bin	240	580 x 725 x 1075
ENVIROBIN (with Inner)	400	590 x 590 x 1100




STACKABLE BINS

CAPACITY IN LITRES	DIMENSIONS IN MM DIAM x HEIGHT
15	460 x 300 x 150
25	490 x 260 x 220
33	385 x 385 x 280
52	385 x 385 x 419
72	675 x 360 x 330
105	710 x 510 x 315
115	915 x 450 x 300
134	910 x 510 x 315
135	1100 x 260 x 485
195	800 x 500 x 450
230	1100 x 480 x 485
325	915 x 600 x 635
400	930 x 500 x 900




SINVAC
ROTO





NESTING/LAUNDRY BINS




DESCRIPTION	CAPACITY IN LITRES	DIMENSIONS IN MM DIAM x HEIGHT
30 L Nesting Bin	30	610 x 570 / 405 x 365 / 160
69L Nesting bin	69	875 x 825 / 495 x 445 / 175
125L Nesting bin	125	750 x 650 / 750 x 650 / 250
200L Nesting bin	200	1415 x 495 / 1310 x 435 / 330
200L Nesting bin	200	810 x 530 / 685x 450 / 550
225L Nesting bin	225	750 x 750 / 650x 650 / 250
300L Nesting bin	300	1 020 x 540 / 940 x 480 / 650
375L Nesting Bin	375	965/865 x 710/610 x 705
Sinvac Laundry Bin (Medium)	230	970 / 770* x 670 / 470 x 640
Sinvac Laundry Bin (Large)	230	1300 x 700 x 590



PONTOONS





DESCRIPTION	DIMENSIONS IN MM DIAM x HEIGHT
2m Pontoon	2160 x 600
Square Pontoon	1200 x 1200 x 490
1.2m Pontoon	1200 in length x 500
Small Drum Pallet	1050 x 590 x 220
512mm Bouy Ball	
Rectangular Pontoon	590 x 890 x 1100






TRAFFIC MANAGEMENT

	DESCRIPTION	DIMENSIONS IN MM DIAM x HEIGHT
CONES	1.8m Cone	800 x 1800
	1m Cone	600 x 1000
	75cm Stackable Cone	290 x 750
	90cm Cone with Ad space	400 x 900
	45cm 3 Sided Traffic Cone	250 x 250
	Traffic Sign Cone Cap	695 (dia) x 185 x 990
BARRIERS	1 meter Stackable Economic Barrier	1000 x 500 x 900
	Stackable Economic Barrier Link	1100 x 200 x 500
	New Jersey Stackable and Water Filled	1600 x 650 x 900
	Eco Light Water Filled / Non-stackable Barrier	1600 x 650 x 900
	Eco Light Stackable / Non-waterfilled Barrier	1600 x 650 x 900
	90 Degree Road Barrier	2000 x 600 x 950
	Bullnose	1200 x 1400 x 1000
	Bullnose Extention	800 x 1400 x 1000



SINVAC
ROTO



HOPPERS

CAPACITY IN LITRES	DIMENSIONS IN MM	DESCRIPTION
50	430 x 630 deep	Fish Feeder Hopper with Lid
180	500 x 600 x cone 730	Hopper with conical base and 50mm outlet spout . With lid D135
320	700 x 638 x cone 636	25mm male treats at the cone lid. Ball valve.
480	900 x 900 x 375 + cone 695	Rectangular Hopper with D100 outlet flange.
680	1120 x 905 x 380 + cone 650	Rectangular Hopper outlet D 300
750	950 x 980 x cone 470(45 degr)	Hopper with conical base and 115mm outlet spout. With lid
1000	1220 x 800 x cone 450(45 degr)	Hopper, conical base, 50mm spout (male thread).
2000	1220 x 1800 x cone 450(45 degr)	Hopper, conical base, 50mm spout (male thread).
5000	2000 x 1900 x cone 414 (22.5 degr)	Hopper, conical base, 50mm outlet spout. 450mm manhole.



AQUACULTURE




RECTANGULAR

CAPACITY IN LITRES	DIMENSIONS IN MM L X W X H
1400	2550 x 900 x 600
2800	4200 x 850 x 800

ROUND

CAPACITY IN LITRES	DIMENSIONS IN MM DIAM x HEIGHT
500	AT500
1500	AT1500U/



These are excellent products to use as grow dams for fish





LOCKERS

ITEMS	DESCRIPTION	MEASUREMENTS (Width x Height x Depth)
FOOD LOCKER FOOD LOCKER	COMPELTE FOOD LOCKER - FLAT TOP COMPELTE FOOD LOCKER - SLANTED TOP	310 X 300 X380 310 X 430 X 380
CLOTHING LOCKER CLOTHING LOCKER CLOTHING LOCKER	COMPELTE FOOD LOCKER - FLAT TOP COMPELTE FOOD LOCKER - SLANTED TOP CLOTHING LOCKER SHELF	310 X 940 X 380 310 X 1060 X 380 -
SPORTS LOCKER SPORTS LOCKER	SPORTS LOCKER SPORTS LOCKER SHELF	510 X 1530 X 525 -
TIERED LOCKER TIERED LOCKER TIERED LOCKER TIERED LOCKER	6 TIER LOCKER 4 TIER LOCKER 3 TIER LOCKER 2 TIER LOCKER	310 X 1940 X 380 310 X 1940 X 380 310 X 1940 X 380 310 X 1940 X 380


Silver frame

Black frame




FITTINGS

- SPINWELDS PE
- TANK CONNECTORS
- HOSE ADAPTORS
- GATE VALVE
- MANHOLES WITH SEAL
- STOPCOCKS
- REPAIRS/SERVICES/OTHER
- PLUGS
- HANDLES
- BALL VALVES
- NIPPLES
- SCREWCAPS WITH THREAD AND RUBBER SEAL



We can customize the colour of the lockers to match your company profile





LOGISTIC/STORAGE


CARGO POTECTOR

PRODUCT	DIMENSIONS IN MM HEIGHT LAST
CARGO PROTECTOR	1000 X 200 200
CARGO PROTECTOR	2000 X 200 X 200



IBC - INTERMEDIATE BULK CONTAINER

CAPACITY IN LITRES	DIMENSIONS IN MM L X W X H
1000	1020 X 1020 X 1170 ICC WITH FRAME



PALLETS

SIZE IN MM	LOAD CAPACITY	SURFACE	ENTRY	PRODUCT WEIGHT
1200 X 1100	3 TONS	NO SLIP	FOURWAY: FORKLIFT AND PALLET JACK	23KG

